ROUTING LIST

1 ~~Logue, M.~~

2 ~~Pages, R.~~

3 ~~Ware, J.~~

____ Return to Dr. Osdene

8 Return to N. Peters

____ DISCARD

2023549962

Source: https://www.industrydocuments.ucsf.edu/docs/fqxj0000

PHILIP MORRIS MANAGEMENT CORP. INTER-OFFICE CORRESPONDENCE

120 PARK AVENUE, NEW YORK, N.Y. 10017-5592

TO: Frank Daylor

DATE: November 26, 1990

T. S. OSDENE

NOV 2 7 1990

FROM: Mary Pottorff

SUBJECT: DAYNARD SUBMISSION TO ANSI - SEPTEMBER 1990

Thank you for the background on ASHRAE 62-1981 & 62-1989. I agree that Janssen, as Chairman of the committee that developed and passed the standard, should be contacted and asked to respond appropriately to Daynard. I would think he would be very insulted by Daynard's innuendos as probably would others on that committee. As I mentioned I am dubious that PM should approach Janssen. Since our discussion, I have talked to Tom Borelli who, fortunately, had not contacted Janssen. I say fortunately because, after discussions with C&B, I am pleased to tell you that they have taken various steps all the way along. This Daynard submission is but the latest in various procedural activities undertaken to try to overturn the ASHRAE standard. This one, which for argumentation uses Repace's estimates seems clearly designed to support the EPA document. The response we discussed this morning is being revised and will be sent to Janssen.

cc: T. Borelli
T. Osdene
S. Parrish

2023549963

Source: https://www.industrydocuments.ucsf.edu/docs/fqxj0000